ELSEVIER

Sensors and Actuators A 50 (1996) 238

SENSORS AND ACTUATORS A PHYSICAL

Author Index of Volume A 50

Ahmed, H., 31
Atsuchi, K., 111

Bakush, M.M., 147
Bausells, J., 99
Beebe, D.J., 55
Benitez, A., 99
Berlicki, T.M., 183
Burrer, C., 7

Chitaree, R., 45
Cho, Y.-H., 121
Cleaver, J.R.A., 31
Clegg, W.W., 147
Cunningham, M.J., 147

Denton, D.D., 55

Elgamel, H.E., 17
Esteve, J., 7, 99

Flynn, D., 187
Futami, A., 69

Gerlach, T., 135
Grattan, K.T.V., 45

Han, S.W., 151
Harb, S.M., 23
Hari, N.S., 39
Haronian, D., 223
Hasegawa, T., 111
Higuchi, T., 69, 75
Hoyle, P.C., 31
Hsieh, A.S., 55

Jenkins, D.F.L., 147
Jiao, J., 117
Jin, W., 1

Kim, K.H., 121
Kim, S.Y., 151
Kim, Y., 141
Kloos, G., 159
Kluge, S., 81
Ko, J.S., 121
Konaka, Y., 93
Kraiczek, K., 87
Kurosawa, M., 69, 75
Kutty, T.R.N., 39
Kwak, B.M., 121

Lee, J.S., 209
Lee, K., 121
Lee, S.-S., 127
Lin, L.-Y., 127
Lu, D., 117

MacCraith, B.D., 45
MacDonald, N.C., 199
Matsushita, H., 191
Mihailovich, R.E., 199
Mochida, Y., 111
Morita, T., 75
Moriya, K., 111
Murawski, E., 183
Murphy, V., 45
Muszyński, M., 183

Nagy, A., 177
Nakamoto, T., 191
Negoro, Y., 93
Neikirk, D.P., 141

Oguchi, T., 93
Ohwada, K., 93, 111
Okazaki, N., 191
Osadnik, S.J., 183

Padmini, P., 39
Palmer, A.W., 45
Park, K., 121
Pister, K.S.J., 127
Prociów, E.L., 183

Quandt, E., 105

Radwin, R.G., 55
Richter, A., 81
Richter, M., 81
Rodriguez, F., 177
Rodriguez, P., 177

Schmitt, H.J., 13
Scholl, B., 13
Seemann, K., 105
Shibaike, N., 209
Sugimoto, M., 111

Tanaka, K., 111
Trujillo, H., 177

Ulrich, J., 81

Venuvinod, P.K., 1
Vidic, M., 23
Vuilleumier, R., 87

Wang, W., 117
Wang, Z.P., 169
Watanabe, T., 69
Wei, Y., 13
Weir, K., 45
Wu, M.C., 127
Wurmus, H., 135

Xiong, B., 117

Yagawa, G., 209
Yang, E.H., 151
Yang, S.S., 151
Yoshimura, S., 209

Zengerle, R., 81
Zhang, L.B., 169
Zhang, S.Q., 169
Zhu, R., 13

Elsevier Science S.A.

ELSEVIER

Sensors and Actuators A 50 (1996) 239–241

SENSORS AND ACTUATORS A PHYSICAL

Subject Index of Volume A 50

- Accelerometers
  - uniform groove-depths in (110) Si anisotropic etching by ultrasonic waves and application to accelerometer fabrication, 93
  - a skew-symmetric cantilever accelerometer for automotive airbag applications, 121
- Active sensing
  - improvement of optimization algorithm in active gas/odor sensing system, 191
- Actuation
  - active vibration control and actuation of a small cantilever for applications in scanning probe instruments, 147
- Actuators
  - a bidirectional silicon micropump, 81
  - fabrication and simulation of magnetostrictive thin-film actuators, 105
- Air damping
  - a skew-symmetric cantilever accelerometer for automotive airbag applications, 121
- Anisotropic etching
  - uniform groove-depths in (110) Si anisotropic etching by ultrasonic waves and application to accelerometer fabrication, 93
- Automotive airbags
  - a skew-symmetric cantilever accelerometer for automotive airbag applications, 121

- Barium titanate
  - cryogenic sensors from semiconducting barium titanate ceramics with strong negative temperature coefficient of resistance, 39
- BESOI substrates
  - bulk silicon microelectromechanical devices fabricated from commercial bonded and etched-back silicon-on-insulator substrates, 99
- BESOI wafers
  - high-precision BESOI-based resonant accelerometer, 7
- Bipolar magnetotransistors
  - merged lateral bipolar magnetotransistors, 177
- Bonding mechanism
  - low-temperature silicon direct bonding and interface behaviours, 117
- Bulk micromachining
  - a skew-symmetric cantilever accelerometer for automotive airbag applications, 121

- Cantilevers
  - a skew-symmetric cantilever accelerometer for automotive airbag applications, 121
  - active vibration control and actuation of a small cantilever for applications in scanning probe instruments, 147
- Closed-form expressions
  - closed-form expressions for the relationships between stress, diaphragm deflection, and resistance change with pressure in silicon piezoresistive pressure sensors, 17
- Computational geometry
  - a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209
- Computer-aided engineering
  - a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209
- Corrugated diaphragms
  - fabrication and dynamic testing of electrostatic actuators with p^+ silicon diaphragms, 151
- Crash detection
  - a skew-symmetric cantilever accelerometer for automotive airbag applications, 121
- Cryogenic sensors
  - cryogenic sensors from semiconducting barium titanate ceramics with strong negative temperature coefficient of resistance, 39

- Demodulation techniques
  - demodulation of a magnetoresistive sensor signal to achieve a low-cost, stable and high-resolution vector magnetometer, 187
- Design windows
  - a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209
- p^+ Diaphragms
  - fabrication and dynamic testing of electrostatic actuators with p^+ silicon diaphragms, 151
- Dissipation measurements
  - dissipation measurements of vacuum-operated single-crystal silicon microresonators, 199
- Dynamic passive valves
  - working principle and performance of the dynamic micropump, 135
- Dynamic testing
  - fabrication and dynamic testing of electrostatic actuators with p^+ silicon diaphragms, 151
- Dynamometers
  - interaction elimination for multicomponent strain-gauge dynamometers, 1

- Electron-beam-induced oxidation
  - fabrication of free-standing microtransducers in GaAs with an electron-beam-induced oxide mask and Cl_2 etching, 31
- Electrostatic actuators
  - fabrication and dynamic testing of electrostatic actuators with p^+ silicon diaphragms, 151
- Electrostatic drive
  - a bidirectional silicon micropump, 81

- Fabry–Pérot cavities
  - design for manufacture of micromachined Fabry–Pérot cavity-based sensors, 141
- Finite-element analysis
  - a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209
- Force sensors
  - a silicon force sensor for robotics and medicine, 55
- Free-space integrated optics
  - micromachined free-space integrated micro-optics, 127

Elsevier Science S.A.

Fuzzy knowledge processing
  a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209

Gallium arsenide
  fabrication of free-standing microtransducers in GaAs with an electron-beam-induced oxide mask and Cl_2 etching, 31
Gas sensing
  improvement of optimization algorithm in active gas/odor sensing system, 191
Geometry optimization
  maximizing microelectromechanical sensor and actuator sensitivity by optimizing geometry, 223
Gyroscopes
  a micromachined vibrating gyroscope, 111

Hydrothermal method
  an ultrasonic micromotor using a bending cylindrical transducer based on PZT thin film, 75

Interaction elimination
  interaction elimination for multicomponent strain-gauge dynamometers, 1
Interface behaviours
  low-temperature silicon direct bonding and interface behaviours, 117

Langmuir monolayers
  a new optical-fiber sensor for measuring surface pressure of Langmuir monolayers, 13
Lead zirconate titanate
  an ultrasonic micromotor using a bending cylindrical transducer based on PZT thin film, 75
Low temperature
  low-temperature silicon direct bonding and interface behaviours, 117

Magnetic sensors
  merged lateral bipolar magnetotransistors, 177
Magnetoresistive sensors
  demodulation of a magnetoresistive sensor signal to achieve a low-cost, stable and high-resolution vector magnetometer, 187
Magnetostrictive films
  fabrication and simulation of magnetostrictive thin-film actuators, 105
Materials science
  a transfer-function approach to the interpretation of relaxation spectra of second-order cross-effects in materials science, 159
Medicine
  a silicon force sensor for robotics and medicine, 55
Microactuators
  a bidirectional silicon micropump, 81
Microelectromechanical devices
  bulk silicon microelectromechanical devices fabricated from commercial bonded and etched-back silicon-on-insulator substrates, 99
Microelectromechanical systems
  maximizing microelectromechanical sensor and actuator sensitivity by optimizing geometry, 223
Micromachines
  a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209
Micromachining
  a bidirectional silicon micropump, 81
  a micromachined vibrating gyroscope, 111
  design for manufacture of micromachined Fabry–Pérot cavity-based sensors, 141
Micromotors
  an ultrasonic micromotor using a bending cylindrical transducer based on PZT thin film, 75
Micro-optical elements
  micromachined free-space integrated micro-optics, 127
Micropumps
  a bidirectional silicon micropump, 81
  working principle and performance of the dynamic micropump, 135
Microresonators
  dissipation measurements of vacuum-operated single-crystal silicon microresonators, 199
Microtransducers
  fabrication of free-standing microtransducers in GaAs with an electron-beam-induced oxide mask and Cl_2 etching, 31
Micro wobble actuators
  a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209

Neural networks
  a CAE system for micromachines: its application to electrostatic micro wobble actuator, 209

Odor sensing
  improvement of optimization algorithm in active gas/odor sensing system, 191
Optical-fibre ellipsometers
  an optical-fibre ellipsometer for applications in thin-film sensor systems, 45
Optical-fibre sensors
  a new optical-fiber sensor for measuring surface pressure of Langmuir monolayers, 13
  recent advances in optical current-sensing techniques, 169
Optimization algorithm
  improvement of optimization algorithm in active gas/odor sensing system, 191

Piezoelectricity
  working principle and performance of the dynamic micropump, 135
Piezoresistive sensors
  closed-form expressions for the relationships between stress, diaphragm deflection, and resistance change with pressure in silicon piezoresistive pressure sensors, 17
Power distribution
  recent advances in optical current-sensing techniques, 169
Precision spectrophotometers
  variable-entrance-slit system for precision spectrophotometers, 87
Pressure sensors
  closed-form expressions for the relationships between stress, diaphragm deflection, and resistance change with pressure in silicon piezoresistive pressure sensors, 17
Pumps
  a bidirectional silicon micropump, 81

Q-factors
  a micromachined vibrating gyroscope, 111

Relaxation spectra
  a transfer-function approach to the interpretation of relaxation spectra of second-order cross-effects in materials science, 159
Residual stress
  fabrication and dynamic testing of electrostatic actuators with p^+ silicon diaphragms, 151
Resonant accelerometers
  high-precision BESOI-based resonant accelerometer, 7
Resonator-based sensors
  resonator-based touch-sensitive probe, 23
Robotics
  a silicon force sensor for robotics and medicine, 55

Scanning probe instruments
  active vibration control and actuation of a small cantilever for applications in scanning probe instruments, 147

Second-order cross-effects
  a transfer-function approach to the interpretation of relaxation spectra of second-order cross-effects in materials science, 159
Self-diagnosis
  a skew-symmetric cantilever accelerometer for automotive airbag applications, 121
Semiconducting ceramics
  cryogenic sensors from semiconducting barium titanate ceramics with strong negative temperature coefficient of resistance, 39
Sensors
  recent advances in optical current-sensing techniques, 169
Silicon
  closed-form expressions for the relationships between stress, diaphragm deflection, and resistance change with pressure in silicon piezoresistive pressure sensors, 17
  a silicon force sensor for robotics and medicine, 55
  uniform groove-depths in (110) Si anisotropic etching by ultrasonic waves and application to accelerometer fabrication, 93
Single-crystal silicon
  dissipation measurements of vacuum-operated single-crystal silicon microresonators, 199
Strain gauges
  interaction elimination for multicomponent strain-gauge dynamometers, 1
Surface acoustic waves
  surface acoustic wave atomizer, 69
Surface pressure measurements
  a new optical-fiber sensor for measuring surface pressure of Langmuir monolayers, 13

Tactile sensors
  a silicon force sensor for robotics and medicine, 55
Thermal sensors
  thin-film thermocouples of Ge doped with Au and B, 183
Thin films
  fabrication and simulation of magnetostrictive thin-film actuators, 105
Thin-film sensors
  an optical-fibre ellipsometer for applications in thin-film sensor systems, 45
  thin-film thermocouples of Ge doped with Au and B, 183
Thin Ge films
  thin-film thermocouples of Ge doped with Au and B, 183
Touch-sensitive probes
  resonator-based touch-sensitive probe, 23
Transfer functions
  a transfer-function approach to the interpretation of relaxation spectra of second-order cross-effects in materials science, 159

Ultrasonic atomizers
  surface acoustic wave atomizer, 69
Ultrasonic motors
  an ultrasonic micromotor using a bending cylindrical transducer based on PZT thin film, 75
Ultrasonic waves
  uniform groove-depths in (110) Si anisotropic etching by ultrasonic waves and application to accelerometer fabrication, 93

Variable slit systems
  variable-entrance-slit system for precision spectrophotometers, 87
Vector magnetometer
  demodulation of a magnetoresistive sensor signal to achieve a low-cost, stable and high-resolution vector magnetometer, 187
Vibration control
  active vibration control and actuation of a small cantilever for applications in scanning probe instruments, 147